Access Control CAD Models

Controllers

- 4H Module
- 8H Module
- 8R Module
- Controller 6000
- Controller 6000 High Spec
    - Controller 6000 High Spec +4H
    - Controller 6000 High Spec +8H
- Controller 6000 PIV
    - Controller 6000 PIV +4H
    - Controller 6000 PIV +8H
- Controller 7000 Single Door
- Controller 7000 Standard
- Controller 7000 Enhanced/High Sec

HBUS and I/O Devices

- HBUS 8 In 2 Out Door Module
- HBUS 8 In 4 Out Board
- HBUS 16 In 16 Out Board
- HUBS 8 In Board
- HBUS 8 Port HUB

Cabinets/ Starter Kit

- Single Cabinet
    - Front cover
    - Internal view
- Starter Kit
    - No Door
    - Gear plate
- Dual Cabinet + 8A PSU
- High Security Server in Cabinet
    - No Door
    - Door
- High Security Cabinet and PSU
    - No Door
    - Door

Readers and Terminals

- T10 Reader
- T11 Reader
    - Bezel
    - Dress plate
- T11 and T12 Protective Cover
- T11 and T12 Protective Cover Spacer
- T12 Reader
    - Expanded
    - Front
    - Side
    - Dress Plate
- T15 Reader
    - Front
    - Side
    - Split
    - Dress plate
    - Dress plate front
    - Mounting block
- T20 Mifare
    - Dress plate
    - Vandal Cover
    - Spacer
    - Mounting Block, Side Cable Entry
- T21 Terminal
    - Front
    - Side
    - Bezel Mount
    - Mounting holes
- T30 Reader
    - Front and Side
    - Split View
    - Spacer
    - Dress Plate

Power Supply

- 3.5Ah Power Supply
    - Left
    - Right
    - Top

- 8A Power Supply
    - Front
    - Left
    - Right
    - Top

Access Control Accessories

- PSTN Dialler
- Fire and Fuse Rely Board
- Protocol Converter
- GBUS URI
- GBUS URI Weigand Variant

Perimeter CAD Models

K20 Hardware

- 15kg Spring
  - Left
  - Right
- 40kg Spring
  - Left
  - Right
  - Top
- K20 Config
  - CS Zone Break
  - DIS Feed Through
- K20 Pivot Mount Bracket
  - Front
  - CS Zone break
  - DIS Feed through
- K20 Tensioner
  - Left side
- K20 DIS
- K20 Wire Link 60mm Pitch
  - G23632 25H55W
  - G23641 60H
  - G23642 25H55W
  - G23643 60H70W
  - G23644 60H105W
  - G23662 25H55W
- K20 Wire Link 91mm Pitch
  - G23532 25H55W
  - G23541 60H
  - G23542 25H55W
  - G23543 60H70W
  - G23544 60H105W
  - G23552 25H55W
  - G23562 25H55W

Fence Controllers and Cable Manager

- F22
- F31
    - Top view
    - HV side view
    - LV side view
- F32
    - Top view
    - HV side view
    - LV side view
- F41
    - Top view
    - HV side view
    - LV side view
- F42
    - Top view
    - HV side view
    - LV side view

Sensors

- Z10 Tension Sensor
    - Left
- Z11 End of Line
- Z12 Cable Adapter
- Z20 Disturbance Sensor and Mount Clamp
- Z40 Power Booster
- Fence Integrity Monitor (FIM)

Posts and Perimeter Accessories

- 4.6m Security Post Int
- 4.6m Security Post K20 DIS
- 4.6m Security Post K20 Strain left
- 4.6m Security Post K20 Strain right
- N11 Fibre Transceiver
- N12 Fibre Transceiver
- Offset Mount Block
    - Long side
    - Short side

- Cable Manager
    - Internal
    - Side
    - Top
- Wall Top Spring
- Lightening Diverter
- Warning Sign

Insulators

- Pull Through Elevation Strain
    - Front
    - Side
    - Top
- Break Away
    - Front
    - Side
    - Top
- Hard Claw
    - Front
    - Side
    - Top
- Wall Top Strain Insulator
    - Narrow
    - Side
    - Top

High Voltage Gate Switch

- Receiver
    - Front
    - Top
    - Left hand side
    - Right hand side
    - Rear
- Plunger
    - Front
    - Top

- Left hand side
- Right hand side
- Rear